

PROFIL		NEUROLEPTIQUES		FORMES			EFFETS SECONDAIRES					
		DCI	Spécialité	BUV	INJ	LP	↗Poids	Sédation	SEP	Antichol	↘TA	↗QTc
ANTIPSYCHOTIQUES NEUROLEPTIQUES ATYPIQUES DE SECONDE GÉNÉRATION	Profil typique à doses élevées	Aripiprazole	ABILIFY®	–	+	+	+	+	++	+	+	++
		Clozapine	LEPONEX®	–	–	–	++++	++++	+	++++	+++	++
		Lurasidone	LATUDA®	–	–	–	+	++	++	+	++	++
		Olanzapine	ZYPREXA®	–	+	+	++++	+++	++	+++	+	++
		Quétiapine	XEROQUEL®	–	–	–	+++	++++	+	+++	+++	++
		Rispéridone	RISPERDAL®	+	–	+	++	++	+++	+	++	++
		Amisulpride	SOLIAN®	+	+	–	+	++	++	+	+	++
		Sulpiride	DOGMATIL®	+	–	–	+	+	++	+	+	++++
		Tiapride	TIAPRIDAL®	+	+	–	++	+++	++	+	++	+++
	Profil atypique à faibles doses	Loxapine	LOXAPAC®	+	+	–	++	+++	+++	++	++	+
		Cyamémazine	TERCIAN®	+	+	–	+++	+++	++	+++	+++	+++
		NEUROLEPTIQUES CLASSIQUES TYPIQUES DE PREMIÈRE GÉNÉRATION	Chlorpromazine	LARGACTIL®	+	+	–	+++	+++	+++	++	+++
Lévomépromazine			NOZINAN®	+	+	–	+++	++++	++	+++	++++	+++
Flupentixol			FLUANXOL®	+	+	+	++	++	++++	+	++	++
Zuclopenthixol			CLOPIXOL®	+	+	+	++	+++	+++	++	+++	++
Halopéridol	HALDOL®		+	+	+	+	++	++++	+	++	++++	
Pimozide	ORAP®		–	–	–	+	++	++++	++	+	++++	
Penfluridol	SEMAP®	–	–	+	+	+	+++	+	++	++		